

Connecting elements H1,5/10

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



For conductors from 0.25 to 6,0 mm² (AWG 24 - 10)
 tin-plated copper
 dimensional tolerances to DIN 46228 part 1
 • supplied loose in polybag

General ordering data

| | |
|------------|--------------------------------------|
| Type | H1,5/10 |
| Order No. | 0186500000 |
| Version | Wire end ferrule, uninsulated, 10 mm |
| GTIN (EAN) | 4008190039592 |
| Qty. | 1,000 pc(s). |
| Packaging | loose |

Data sheet

**Connecting elements
H1,5/10**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|---------|----------------|------------|
| Width | 10 mm | Width (inches) | 0.394 inch |
| Net weight | 0.078 g | | |

Technical data

| | |
|---------|-------------|
| Version | uninsulated |
|---------|-------------|

Wire-end ferrules

| | | | |
|-------------------------------|--------|---|---------------------|
| Collar diameter (D2) | 2.8 mm | Conductor cross-section | 1.5 mm ² |
| Contact surface diameter (D1) | 1.7 mm | L1 in mm | 10 mm |
| Stripping length | 10 mm | Wire connection cross section AWG, max. | AWG 16 |

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 3.0 | EC000005 | ETIM 4.0 | EC000005 |
| ETIM 5.0 | EC000005 | ETIM 6.0 | EC000005 |
| UNSPSC | 31-16-31-02 | eClass 5.1 | 27-40-02-01 |
| eClass 6.2 | 27-40-02-01 | eClass 7.1 | 27-40-02-01 |
| eClass 8.1 | 27-40-02-01 | eClass 9.0 | 27-40-02-01 |
| eClass 9.1 | 27-40-02-01 | | |

Approvals

Approvals



| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|--------------------|--|
| Brochure/Catalogue | CAT 6 TOOLS 15/16 EN |
| Engineering Data | EPLAN, WSCAD, Zuken E3.S |

Data sheet

Connecting elements
H1,5/10

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

Similar to illustration

